




SASH TIMBER WIN<u>DOWS</u>
















A











BBB













MATERIALS:

Wood:

We use laminated scantlings certified FSC or PEFC of

- PINE
- OAK
- RED GRANDIS

All our wood components are treated against insects, funghi and humidity, then stained or painted according to your choice with water based products.

- Stain colours will be selected from our colour chart.
- Any RAL colour may be selected for paints.

Balances:

High technology mechanisms combining stainless steel rod torsions and tension springs are used in keeping the balance of sashes at any point of its movement.

We also produce timber box sash windows. These are traditional vertical sliders working with weights and cords.

Seals:

- The seals between glazing and profiles are of SILICON.
- The seals are of Q-LON (SCHLEGEL).

IRONMONGERY:

Bow Handles



Cam Lock and Keeps



Finger Pulls







ELEGANTLINES


We offer the below options of profiles for use in windows to satisfy different tastes.

EXTERIOR GLAZING BARS AND BEADS




INTERIOR GLAZING BARS AND BEADS







ر) FSC

100% SC* C1273 BMTRADA









Clear

骃鬛



SBL

ISO 9001 REGISTERED

FENEX Windows Ltd 26 St Cross Street, Clerkenwell, London EC1N 8UH ENGLAND T: +44 (0)789 9247994 www.fenexwindows.co.uk SELECTRON Ltd. Şti. Atatürk Bulvarı, Köstemir Yolu Cad. No: 74 Silivri 34570 İstanbul / TÜRKİYE T: +90 212 7360801 www.arbor.com.tr

ARBOR SAS 16 Rue Séjourné 94000 Créteil / FRANCE T: +33 (0) 1 43 77 56 36 www.arborfenetres.fr